


1.25Gb/s 20km SFP  
RTXM182-628 & RTX182-629



- . /
- 7(78
- "(\$)\*+,-
- 25 / .
- \$9
- :%;9< / =>#)< /
- <? 0

- 
- %
- 
- 
-

- 012 ! 0@ A341%#9B;CD
- 3555#9\$(7EF
- 3 G% \*(')B

| 参数           | 符号              | 单位     | 最小    | 典型    | 最大           | 备注                |
|--------------|-----------------|--------|-------|-------|--------------|-------------------|
|              | 3II             | J@     | %     | %     | 799          | "                 |
|              |                 | J 8    | ")9   | %     | ""99         |                   |
|              |                 | J 8    | 799   | %     | &99          |                   |
| KLEMNO, . 60 | 8 6 ?           | 8      | \$(9  | %     | 8 II         |                   |
|              | 8 6 .           |        | 9     | %     | 9(#          |                   |
| KPC-E+NQ     | 8 6 ?           | 8      | \$(9  | %     | 8 II         |                   |
|              | 8 6 .           |        | 9     | %     | 9(#          |                   |
|              | "(\$)* R3S3 012 |        |       |       |              |                   |
|              | 2<              | PR J   | %     | %     | %7           | 5%                |
|              | λI              | T J    | "\$&9 | "7"9  | "7&9         | 12%. S            |
|              |                 |        | "")79 | ""))9 | "")B9        | \$1R%. S          |
|              | 5               | PR     | '     |       |              |                   |
| A ! OD       | Δλ              | T J    |       |       | 7            | "7"9T J 12%. S    |
| A\$9PRD      | Δλ              | T J    |       |       | 7            | ""))9T J S 1R%. S |
|              |                 | PR     | 79    |       |              |                   |
|              | H%H             | H-     |       |       | \$&B         | \$                |
|              | 34              | PR, ?U |       |       | %"\$9        |                   |
|              |                 |        |       |       | 3555#9\$(7EF |                   |
|              | 2<LL            | PR J   | %     | %     | %;           | )                 |
|              | λI              | T J    | " ;#9 |       | "&\$9        |                   |
|              |                 |        | "\$&9 |       | "7&9         |                   |
|              | 0               | PR J   |       |       | %"\$"        |                   |
|              | 2CT             | PR J   | %7    |       |              |                   |
|              |                 |        |       |       | %%\$         |                   |
|              |                 | PR     | %7)   |       |              |                   |
|              |                 | PR     | 9()   | 7     | )            |                   |
|              |                 | PR     |       |       | "            |                   |

备注 1.

备注 2. "(\$)\*+H- \$7

| 型号          | 规格  |        |          |       |          |          |          |        | 应用  |
|-------------|-----|--------|----------|-------|----------|----------|----------|--------|-----|
|             |     |        |          |       |          |          |          |        |     |
| ! "#\$%&\$# | 012 | "(\$)* | "7"9T J  | %'=%7 | 234      | V        | %;9=#)^< | \$9W J | * 5 |
|             |     |        | 12%. S   | PR J  | ") )9T J | %\$"PR J | /        |        |     |
| ! "#\$%&\$' | 012 | "(\$)* | ") )9T J | %'=%7 | 234      | V        |          |        |     |
|             |     |        | S1R%. S  | PR J  | "7"9T J  | %\$"PR J |          |        |     |

